

MONO IND – 1 Grade:  
Trimmer Line (Square)

Resin: PA6

<b>Dia</b>	<b>Denier</b>	<b>L.Load</b>	<b>GPD</b>
1.30	14019	19	1.30
1.60	21236	28	1.30
2.00	33182	43	1.30
2.40	47478	62	1.30
2.70	60475	79	1.30
3.00	74660	97	1.30
3.30	90339	118	1.30
4.00	132729	173	1.30

Test condition: 25 Deg C 65% RH

## MONO IND 1

Grade: Trimmer Line (Round)

Resin: PA6

<b>Dia</b>	<b>Denier</b>	<b>L.Load</b>	<b>GPD</b>
1.30	13611	18	1.30
1.60	20618	27	1.30
2.00	32216	42	1.30
2.40	46391	60	1.30
2.70	58713	76	1.30
3.00	72486	94	1.30
3.30	87708	114	1.30
4.00	128864	168	1.30

Test condition: 25 Deg C 65% RH

## MONO IND - 1. Trimmer Attributes

## Standard Packages,

### Standard Packages

DIAMETER	PUT-UP
1.30mm – 2.40mm	( 15 mt – 50 ft )
2.70mm – 3.30mm	( 15mt – 50 ft )
1.30mm – 3.00mm	( ½ lb )
2.40mm – 4.00mm	( 1 lb )
1.30mm – 4.00mm	2 kg hanks , 10 kg bobbin ( Din 335 )

### Attributes

- Good cutting efficiency
- Good abrasion resistance
- Highly durable
- Narrow diameter tolerance
- Low memory
- High Elongation